



Report Number: 22-015789/D002.R000

Report Date: 12/29/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 12/27/22 13:48

Customer: Jefferson E-Commerce

Product identity: Live Resin

Client/Metrc ID:

Laboratory ID: 22-015789-0001

Summary

Potency: Analyte Result (%) **CBD-Total** 48.8% CBD-A 43.9 CBD-A CBD 10.3 CBD THC-A 1.73 THC-A CBN 1.07 CBN CBG-A 0.629 (Reported in percent of total sample) CBG-A CBG 0.431 CBG Δ8-THC 0.272 Δ8-THC





Report Number: 22-015789/D002.R000

Report Date: 12/29/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 12/27/22 13:48

Customer: Jefferson E-Commerce

1253 N Riverside Ave Medford Oregon 97501

United States of America (USA)

Product identity: Live Resin

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-015789-0001

Evidence of Cooling: No
Temp: 17.7
Relinquished by: usps

Sample Results

Potency	Method: J AOAC 2015	V98-6 (mod)	▶ Units %	Batch: 2210961	Analyze: 12/29/22	1:48:00 AM
Analyte	As Dry Received weight	LOQ	Notes			
CBD	10.3	0.0749				CBD-A
CBD-A	43.9	0.749				• CBD-A
CBD-Total	48.8	0.732				THC-A
CBG	0.431	0.0749				CBN
CBG-A	0.629	0.0749				CBG-A
CBG-Total	0.983	0.140				CBG
CBN	1.07	0.0749				Δ8-THC
$\Delta 10$ -THC	< LOQ	0.0749				
Δ8-THC	0.272	0.0749				
Δ9-THC	< LOQ	0.0749				
THC-A	1.73	0.0749				
THC-Total	1.52	0.141				
Total Cannabinoids	58.3					





Report Number: 22-015789/D002.R000

Report Date: 12/29/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 12/27/22 13:48

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

▶ = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 22-015789/D002.R000

Report Date: 12/29/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 12/27/22 13:48



Hemp & Cannabis: Usable / Extract / Finished Product

Chain of Custody, Record

Jefferson-E-Commerce-

1671657986

	ORELAP ID: OR1000028 ANAB ISO 17025 ID: AT1508		
Contact Information Company: Jefferson E-Commerce Contact: Rebekah Phillins Street Address: 1253 N Riverside Ave City, State, Zip: Medford, Oregon 97501 Email: admin@leffersonecommerce.com Contact Phone: 8555534253 Company Phone: 5416468316 Billing Information Billing Phone: 5416468315 Billing Email: admin@leffersonecommerce.com	Project Information Project Name: <u>It's Alive</u> PO Number: <u>LR/DS-1221</u> Turnaround Time: <u>3 Business Days (Rush)</u> Samples Delivered to Laboratory: <u>By Shipping Service (USPS, UPS, Fedex)</u>	, 2	Potency Cannabinoid Basic Profile

70 (by 111033) 111033)				
Date	Time			
12/21/2022	13:26			
	Date			

% (by mass/mass)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of services</u> associated with this COC. By signing 'Relinquished by' you are agreeing to these terms.

LR-1221

Columbia Laboratories 12423 NE WHitaker Way Portland, OR 97230

Sample Name

Matrix

P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com Page 1 of 1

RBS no cooling, 17.7° 12/27/22, 1348 USPS







22-015789/D002.R000 **Report Number:**

Report Date: 12/29/2022 ORELAP#: OR100028

Purchase Order:

Received: 12/27/22 13:48

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	AOAC 2015 V98-6 Batch ID: 2210961							
Laboratory Control Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.104	0.101	%	102	80.0 - 120	Acceptable	
CBDV	2	0.112	0.110	%	102	80.0 - 120	Acceptable	
CBE	2	0.109	0.106	%	102	80.0 - 120	Acceptable	
CBDA	1	0.101	0.096	%	105	90.0 - 110	Acceptable	
CBGA	1	0.101	0.097	%	105	80.0 - 120	Acceptable	
CBG	1	0.101	0.095	%	106	80.0 - 120	Acceptable	
CBD	1	0.100	0.096	%	105	90.0 - 110	Acceptable	
THCV	2	0.108	0.105	%	103	80.0 - 120	Acceptable	
d8THCV	2	0.109	0.107	%	103	80.0 - 120	Acceptable	
THCVA	2	0.101	0.099	%	102	80.0 - 120	Acceptable	
CBN	1	0.106	0.099	%	107	80.0 - 120	Acceptable	
exo-THC	2	0.106	0.103	%	103	80.0 - 120	Acceptable	
d9THC	1	0.112	0.102	%	110	90.0 - 110	Acceptable	
d8THC	1	0.104	0.100	%	104	90.0 - 110	Acceptable	
CBL	2	0.106	0.100	%	106	80.0 - 120	Acceptable	
d10THC	1	NA	0.092	%	NA	80.0 - 120	Acceptable	Q6
CBC	2	0.110	0.109	%	101	80.0 - 120	Acceptable	
THCA	1	0.0996	0.096	%	104	90.0 - 110	Acceptable	
CBCA	2	0.105	0.103	%	102	80.0 - 120	Acceptable	
CBLA	2	0.107	0.105	%	102	80.0 - 120	Acceptable	
CBT Mothod Blank	2	0.111	0.109	%	102	80.0 - 120	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBE	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBGA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBG	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBD	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBN	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
exo-THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBL	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d10THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBLA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBT	<l0q< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></l0q<>	0.0077	%	< 0.0077	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





22-015789/D002.R000 **Report Number:**

Report Date: 12/29/2022 ORELAP#: OR100028

Purchase Order:

12/27/22 13:48 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2210961							
Sample Duplicate	nple Duplicate Sample ID: 22-015422-0003							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBDV	0.670	0.684	0.0077	%	2.05	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBG	1.26	1.31	0.0077	%	4.16	< 20	Acceptable	
CBD	89.0	91.5	0.0077	%	2.77	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBN	0.0181	0.0178	0.0077	%	1.45	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
d9THC	0.0092	0.0096	0.0077	%	4.59	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBC	0.0165	0.0175	0.0077	%	5.55	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:





Report Number: 22-015789/D002.R000

12/29/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 12/27/22 13:48







22-015789/D002.R000 **Report Number:**

Report Date: 12/29/2022 ORELAP#: OR100028

Purchase Order:

Received: 12/27/22 13:48

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.